

Rules for Classification and Construction

I Ship Technology

1 Seagoing Ships



1 Hull Structures

The following Rules come into force on June 1st , 2008

Alterations to the preceding Edition are marked by beams at the text margin.

Germanischer Lloyd Aktiengesellschaft

Head Office

Vorsetzen 35, 20459 Hamburg, Germany

Phone: +49 40 36149-0

Fax: +49 40 36149-200

headoffice@gl-group.com

www.gl-group.com

"General Terms and Conditions" of the respective latest edition will be applicable
(see Rules for Classification and Construction, I - Ship Technology, Part 0 - Classification and Surveys).

Reproduction by printing or photostatic means is only permissible with the consent of
Germanischer Lloyd Aktiengesellschaft.

Published by: Germanischer Lloyd Aktiengesellschaft, Hamburg

Printed by: Gebrüder Braasch GmbH, Hamburg

Table of Contents

Section 1 General, Definitions

A.	Validity, Equivalence	1- 1
B.	Restricted Service Areas	1- 1
C.	Ships for Special Services	1- 1
D.	Accessibility	1- 1
E.	Stability	1- 2
F.	Vibrations and Noise	1- 2
G.	Documents for Approval	1- 3
H.	Definitions	1- 5
J.	International Conventions and Codes	1- 6
K.	Rounding-Off Tolerances	1- 6
L.	Regulations of National Administrations	1- 6
M.	Computer Programs	1- 6
N.	Workmanship	1- 7

Section 2 Materials

A.	General	2- 1
B.	Hull Structural Steel for Plates and Sections	2- 1
C.	Forged Steel and Cast Steel	2- 5
D.	Aluminium Alloys	2- 5
E.	Austenitic Steels	2- 5

Section 3 Design Principles

A.	General	3- 1
B.	Upper and Lower Hull Flange	3- 1
C.	Unsupported Span	3- 2
D.	End Attachments	3- 2
E.	Effective Breadth of Plating	3- 3
F.	Proof of Buckling Strength	3- 4
G.	Rigidity of Transverses and Girders	3-13
H.	Structural Details	3-13
J.	Evaluation of Notch Stress	3-15
K.	Corrosion Additions	3-17
L.	Additional Stresses in Asymmetric Sections/Profiles	3-17

Section 4 Design Loads

A.	General, Definitions	4- 1
B.	External Sea Loads	4- 2
C.	Cargo Loads, Load on Accommodation Decks	4- 4
D.	Loads on Tank Structures	4- 5
E.	Design Values of Acceleration Components	4- 6

Section 5 Longitudinal Strength

A.	General	5- 1
B.	Loads on the Ship's Hull	5- 5
C.	Section Moduli, Moments of Inertia, Shear and Buckling Strength	5- 8
D.	Design Stresses	5- 11
E.	Permissible Still Water Loads	5- 14
F.	Guidance Values for Large Deck Openings	5- 15
G.	Bulk Carriers	5- 17

Section 6 Shell Structures

A.	General, Definitions	6- 1
B.	Bottom Plating	6- 1
C.	Side Shell Plating	6- 3
D.	Side Plating of Superstructures	6- 4
E.	Strengthening of Bottom Forward	6- 4
F.	Strengthenings in Way of Propellers and Propeller Shaft Brackets, Bilge Keels	6- 5
G.	Openings in the Shell Plating	6- 6
H.	Bow Doors and Inner Doors	6- 6
J.	Side Shell Doors and Stern Doors	6- 11
K.	Bulwark	6- 13

Section 7 Decks

A.	Strength Deck	7- 1
B.	Lower Decks	7- 4
C.	Helicopter Decks	7- 5

Section 8 Bottom Structures

A.	Single Bottom	8- 1
B.	Double Bottom	8- 2
C.	Bottom Structure in Machinery Spaces in Way of the Main Propulsion Plant	8- 7
D.	Docking Calculation	8- 9

Section 9 Framing System

A.	Transverse Framing	9- 1
B.	Bottom-, Side- and Deck Longitudinals, Side Transverses	9- 5

Section 10 Deck Beams and Supporting Deck Structures

A.	General	10- 1
B.	Deck Beams and Girders	10- 1
C.	Pillars	10- 2
D.	Cantilevers	10- 3
E.	Hatchway Girders and Girders Forming Part of the Longitudinal Hull Structure	10- 3

Section 11 Watertight Bulkheads

A.	General	11- 1
B.	Scantlings	11- 3
C.	Shaft Tunnels	11- 5

Section 12 Tank Structures

A.	General	12- 1
B.	Scantlings	12- 3
C.	Tanks with Large Lengths or Breadths	12- 5
D.	Vegetable Oil Tanks	12- 6
E.	Detached Tanks	12- 6
F.	Potable Water Tanks	12- 7
G.	Swash Bulkheads	12- 7
H.	Testing for Tightness	12- 7

Section 13 Stem and Sternframe Structures

A.	Definitions	13- 1
B.	Stem	13- 1
C.	Sternframe	13- 1
D.	Propeller Brackets	13- 4
E.	Elastic Stern Tube	13- 5

Section 14 Rudder and Manoeuvring Arrangement

A.	General	14- 1
B.	Rudder Force and Torque	14- 3
C.	Scantlings of the Rudder Stock	14- 4
D.	Rudder Couplings	14- 8
E.	Rudder Body, Rudder Bearings	14-11
F.	Design Yield Moment of Rudder Stock	14-13
G.	Stopper, Locking Device	14-13
H.	Propeller Nozzles	14-13

Section 15 Strengthening for Navigation in Ice

A.	General	15- 1
B.	Requirements for the Notations E1 - E4	15- 6
C.	Requirements for the Notation E	15-14

Section 16 Superstructures and Deckhouses

A.	General	16- 1
B.	Side Plating and Decks of Non-Effective Superstructures	16- 2
C.	Superstructure End Bulkheads and Deckhouse Walls	16- 3
D.	Decks of Short Deckhouses	16- 4
E.	Elastic Mounting of Deckhouses	16- 4
F.	Breakwater	16- 7

Section 17 Hatchways

A.	General	17- 1
B.	Hatch Covers	17- 1
C.	Hatch Cover Coamings and Girders	17- 8
D.	Smaller Openings and Hatches	17-10
E.	Engine and Boiler Room Hatchways	17-12

Section 18 Equipment

A.	General	18- 1
B.	Equipment numeral	18- 1
C.	Anchors	18- 2
D.	Chain Cables	18- 3
E.	Chain Locker	18- 3
F.	Mooring Equipment	18- 4
G.	Towing Equipment	18- 6
H.	Towing and Mooring Arrangement Plan	18- 7

Section 19 Welded Joints

A.	General	19- 1
B.	Design	19- 2
C.	Stress Analysis	19-10

Section 20 Fatigue Strength

A.	General	20- 1
B.	Fatigue Strength Analysis for Free Plate Edges and for Welded Joints Using Detail Classification	20- 4
C.	Fatigue Strength Analysis for Welded Joints Based on Local Stresses	20- 8

Section 21 Hull Outfit

A.	Partition Bulkheads	21- 1
B.	Ceiling	21- 1
C.	Side Scuttles, Windows and Skylights	21- 2
D.	Scuppers, Sanitary Discharges and Freeing Ports	21- 3
E.	Air Pipes, Overflow Pipes, Sounding Pipes	21- 5
F.	Ventilators	21- 7
G.	Stowage of Containers	21- 8
H.	Lashing Arrangements	21- 9
J.	Car Decks	21- 9
K.	Life Saving Appliances	21-10
L.	Signal and Radar Masts	21-10
M.	Loading and Lifting Gear	21-11
N.	Access to the Cargo Area of Oil Tankers and Bulk Carriers	21-12
O.	Guard-Rails	21-19
P.	Accesses to Ships	21-19

Section 22 Structural Fire Protection on Board Seagoing Ships

A.	General	22- 3
B.	Regulations on Fire Protection for Passenger Ships carrying more than 36 Passengers	22- 4
C.	Regulations on Fire Protection for Passenger Ships carrying not more than 36 Passengers	22-20
D.	Regulations on Fire Protection for Cargo Ships of 500 GT and over	22-38
E.	Regulations on Fire Protection for Cargo Ships of less than 500 GT	22-48
F.	Regulations on Fire Protection for Oil Tankers of 500 GT and over	22-48

Section 23 Strengthenings for Heavy Cargo, Bulk Carriers, Ore Carriers

A.	Strengthenings for Heavy Cargo	23- 1
B.	Bulk Carriers	23- 1
C.	Ore Carriers	23- 6
D.	Allowable hold loading, considering flooding	23- 6
E.	Evaluation of Scantlings of Corrugated Transverse Watertight Bulkheads in Single Side Skin Bulk Carriers Considering Hold Flooding	23- 9
F.	Harmonised Notations and Corresponding Design Loading Conditions for Bulk Carriers	23-18
G.	Fitting of a Forecastle for Bulk Carriers, Ore Carriers and Combination Carriers	23-21

Section 24 Oil Tankers

A.	General	24- 1
B.	Strength of Girders and Transverses in the Cargo Tank Area	24-11
C.	Oiltight Longitudinal and Transverse Bulkheads	24-13
D.	Wash Bulkheads	24-13
E.	Hatches	24-14
F.	Structural Details at the Ship's End	24-14
G.	Ships for the Carriage of Dry Cargo or Oil in Bulk	24-14
H.	Product List 1	24-16
J.	Product List 2	24-17
K.	Additional Requirements for Tankers in Shuttle Service	24-19

Section 25 Tugs

A.	General	25- 1
B.	Hull Structures	25- 1
C.	Towing gear/Towing arrangement	25- 2
D.	Steering gear/Steering arrangement	25- 7
E.	Anchoring/mooring equipment	25- 7
F.	Weather tight integrity and stability	25- 7
G.	Escape routes and safety measures	25- 8
H.	Additional Requirements for Active Escort Tugs	25- 8

Section 26 Passenger Ships

A.	General	26- 1
B.	Documents for Approval	26- 1
C.	Watertight Subdivision	26- 1
D.	Bulkhead Doors	26- 2

E.	Bulkhead Deck	26- 3
F.	Double Bottom	26- 3
G.	Openings in the Shell Plating	26- 3
H.	Materials for Closures of Openings	26- 3
J.	Cross-Flooding Arrangements	26- 4
K.	Pipe Lines	26- 4

Section 27 Special Purpose Ships

A.	General	27- 1
B.	Documents for Approval	27- 1
C.	Watertight Subdivision	27- 1

Section 28 Subdivision and Damage Stability of Cargo Ships

A.	General	28- 1
B.	Definitions	28- 1
C.	Calculation Methods	28- 2
D.	Stability Information	28- 5
E.	Watertight Bulkheads and Decks	28- 5
F.	External Openings	28- 6
G.	Cross-Flooding Arrangements	28- 6

Section 29 Supply Vessels

A.	General	29- 1
B.	Shell Plating, Frames	29- 1
C.	Weather Deck	29- 1
D.	Superstructures and Deckhouses	29- 2
E.	Access to Spaces	29- 2
F.	Equipment	29- 2

Section 30 Ships for Sheltered Water Service

A.	General	30- 1
B.	Shell Plating	30- 1
C.	Watertight Bulkheads and Tank Bulkheads	30- 1
D.	Deck Openings	30- 1
E.	Equipment	30- 2

Section 31 Barges and Pontoons

A.	General	31- 1
B.	Longitudinal Strength	31- 1
C.	Watertight Bulkheads and Tank Bulkheads	31- 1
D.	Structural Details at the Ends	31- 2
E.	Rudder	31- 2
F.	Pushing and Towing Devices, Connecting Elements	31- 2
G.	Equipment	31- 2

Section 32 Dredgers

A.	General	32- 1
B.	Documents for Approval	32- 1
C.	Principal Dimensions	32- 1
D.	Longitudinal Strength	32- 1
E.	Shell Plating	32- 2
F.	Deck	32- 2
G.	Bottom Structure	32- 2
H.	Hopper and Well Construction	32- 3
J.	Box Keel	32- 4
K.	Stern Frame and Rudder	32- 5
L.	Bulwark, Overflow Arrangements	32- 5
M.	Self-Unloading Barges	32- 5
N.	Equipment	32- 6

Section 33 Strengthening against Collisions

A.	General	33- 1
B.	Calculation of the Deformation Energy	33- 1
C.	Computation of the Critical Speed	33- 3

Section 34 Special Requirements for In-Water Surveys

A.	General	34- 1
B.	Special Arrangements for In-Water Surveys	34- 1
C.	Documents for Approval, Trials	34- 1

Section 35 Corrosion Protection

A.	General Instructions	35- 1
B.	Shop Primers	35- 1
C.	Hollow Spaces	35- 1
D.	Combination of Materials	35- 1
E.	Fitting-Out and Berthing Periods	35- 2
F.	Corrosion Protection of Ballast Water Tanks	35- 2
G.	Corrosion Protection of Cargo Holds	35- 4
H.	Corrosion Protection of the Underwater Hull	35- 4

Annex A Load Line Marks

A.	Load Line Marks of Germanischer Lloyd	A- 1
----	---	------

Annex B Ice Class Draught Marking

Index

A

Accessibility	1-1
After peak, tiers of beams	9-3
floors	8-1
frames	9-1
Air and overflow pipes	12-1, 21-5
Aluminium	2-4
Anchors	18-2

B

Bar stem	13-1
Barges	31-1
Beams	
tiers of in the peaks	9-3
Beams, see also deck beams and transverses	10-1
Bearing clearances	14-13
Bilge keel	6-5
wells	8-4
Block coefficient	1-5
Boiler room, bulkheads	21-1
Bottom plating	6-1
construction of bulk carriers	23-2
construction, general	8-1
strengthening forward	6-4
Bow doors	6-6
Bow height	24-6
Bower anchor	18-2
Bracket joints	19-13
Brackets	3-2, 9-5, 10-2
flanged brackets	3-3, 9-3
for longitudinals	8-5
for main frames	9-1
Breadth B	1-5
Bulbous bows	13-1
Bulk carriers	23-1
Bulkhead	11-2

Bulkhead deck	1-5
doors	11-2
in passenger ship	26-1
Bulkheads, arrangement of	11-1
in oil tankers	24-13
in passenger ships	26-1
watertight	11-1
Bulwark	6-13

C

Cantilevers	10-3
Car decks	21-9
Cargo decks	7-4
Cargo tanks of oil tankers	24-11
Ceiling	21-1
Centre girder in double bottom	8-2
in single bottom	8-2
Chain cable steel	18-3
Chain cables	18-3
Chain locker	18-3
Coal or coke deck cargo	4-4
Coamings of ventilators	21-7
of hatchways	17-1
Cofferdam	
oil tankers	24-4
Cofferdams	12-1
Collision bulkhead, cargo ships	11-1
passenger ships	26-1
Collisions resistance	33-1
Computer programs	1-6
Constraint, definition	3-2
Containers, stowage of	21-8
Corrosion allowances	3-17
Corrosion protection	1-8, 35-1
Corrugated bulkheads, watertight	11-4
tanks	12-5
Couplings	14-8
Cross ties	24-13
Cross-flooding arrangements	26-4

D

Damage stability	1-2, 24-2, 26-1, 27-1, 28-1, 29-1
Deck beams	10-1
Deckhouses	16-1, 16-4
Decks	7-1
definition of	1-5
Depth H	1-1
Design loads	4-1
Detached tanks	12-6
Deviations from the Rules	1-1
Docking Calculation	8-9
Documents for Approval	1-3
Doors, bow	6-6
Double bottom	8-2
for bulk carriers	23-1
for Dredgers	32-3
for passenger ships	26-3
ore carriers	23-6
tanks	8-3
testing	8-7
Double hull requirements for oil tankers	24-1
Drain sumps	26-3
Dredgers	32-1

E

E, E1, E2, E3, E4, ice-strengthening	15-1
Effective breadth of plating	3-3
Emergency towing arrangements	24-7
End attachments	3-2
End bulkheads of superstructures and deckhouses	16-2
Engine foundation	8-7
room bulkheads	21-1
room web frames	9-4
Entwurfsspannungen σ_L und τ_L	5-11
Equipment, anchors, chain cables, ropes	18-1
numeral	18-1
of dredgers	32-6
of pontoons	31-2
Expansion space of vegetable oil tanks	12-6

F

Fatigue analysis	20-1
Flange (upper und lower) of hull girder	3-1
Flare angle	4-3, 9-4
Flat keel	6-2
Floorplates in double bottom	8-3, 8-5
in engine room	8-7
in peaks	8-1
in single bottom	8-1
Fore peak, tiers of beams	9-3
Forecastle	16-1
deck beams	10-1
Fork lift trucks, strengthenings for	7-4
Frame spacing	1-5
Freeboard deck	1-5
Freeing ports	21-3

G

Gangways in oil tankers	24-7
Girders	10-1
Grades, hull structural steel	2-1

H

Hatchways	17-1
girders	10-3
in oil tankers	24-14
Heavy cargo	23-1
Helicopter decks	7-5
Higher strength hull structural steels	2-1
Higher tensile hull structural steel	
welding of	19-1
Hopper dredgers	32-2

I

Ice strengthened for baltic service	15-1
Inner bottom	8-3
for ore and heavy cargo	23-2
frames	8-5
in the engine room	8-7
longitudinals	9-5
In-water survey, class notation IW	1-1, 34-1

L

Lashing arrangements	21-9
Length L	1-5
Life saving appliances	21-10
Limitation of cargo tank length	24-3
Load Line Marks	A-1
Loading and lifting gear	21-11
Loading guidance information	5-1
Longitudinal girders (bottom structure)	8-1
Longitudinals	9-5
Lower decks	7-4
Lubrication oil tanks	8-3, 12-1

M

Manila ropes	18-4
Manoeuvring arrangement	14-1
Masts	21-10
Material faktor k	2-1
Materials	2-1
for closures of openings	26-3
for rudder stock, pintles, coupling bolts	14-2
for structural fire protection	22-38
for welded joints	19-1
passenger ships	22-4
Minimum thickness	
cargo tanks in oil tankers	24-10
decks	7-4
fillet welds	19-7
shell structures	6-1
tank bulkheads	12-2
watertight bulkheads	11-2
Mooring equipment	18-4

N

Navigation in ice	15-1
Navigation notation	1-1

O

Oil fuel tanks	12-1
Oil tankers	24-1

Openings in the shell	6-6
in decks	7-1
Overflow pipes	21-5

P

Passenger ships	26-1
Peak frames	9-3
tanks	12-1
Permissible stresses	3-1
Pillars	10-2
Pintles	14-13
Piping, scuppers and sanitary	21-3
air, sounding, overflow	21-5
Plate stem	13-1
POSEIDON	1-7
Principal dimensions	1-5
Propeller brackets	13-4
Propeller nozzles	14-14
Propeller post	13-2

R

Restricted service areas	1-1
Ropes	18-4
Rudder	
body	14-11
force	14-4
horn	13-3
stock	14-4
Rudder and manoeuvring arrangement	14-1
Rudder bearings	14-12
Rule thickness	3-17, 6-5

S

Scallop welding	19-8
Scuppers	21-3
Scuttles	21-2
Sea chests	8-4
Semi-spade rudders	14-4
Shaft tunnels	11-5
Shear forces	5-6

Shear strake	
strengthenings at the ends of superstructures	16-1
Shell plating	6-3
Shell Structures	6-1
Side girders in double bottom	8-3
in ships strengthened for heavy cargo	23-1
Side longitudinals	9-5
Side scuttles	21-2
Side shell doors	6-11
Side shell plating	6-3
Simple support, definition	3-2
Single bottom	8-1
Single point moorings	18-6
Slamming pressure	4-3
Sliding doors in bulkhead	11-2
in shaft tunnel	11-5
Slop tanks	24-15
Sounding pipes	12-1, 21-5
Span ℓ	3-2
Stability	1-2, 28-1
Stem	13-1
Stern tube	13-2
elastic	13-5
Stern tube bulkhead	11-2
Sternframe	13-1
Stowage of containers	21-8
Strength deck	7-1
Strengthening of bottom forward	6-4
against collisions	33-1
Stringer	9-3
Structural fire protection	22-1, 22-3
Struts in double bottom	8-5
Superstructures	16-1
deck	16-2
deck beams	10-1
end bulkheads	16-2
frames	9-2
Supply vessels	29-1
Survival capability of ships	28-1
Swash bulkhead	12-1, 12-7

T

Tank hatches in oil tankers	24-14
Tank structures	12-1
Testing for tightness	8-7, 12-7, 24-10
tanks	12-7
Timber deck cargo	4-4
Transverse bulkheads, watertight	11-1
oiltight in oil tankers	24-13
Transverse Frames	9-1
Transverse, deck	10-1
bottom, side	9-5
Tripping brackets	9-4
Tugs	25-1
Tween deck frames	9-2

U

Unsupported span ℓ	3-2
Upper and lower hull flange	3-1

V

Vegetable oil tanks	12-6
Ventilators	21-7
Vibrations	1-2

W

Walls of deckhouses	16-3
Wash bulkheads	24-13
Watertight bulkheads	11-1
Wave shear forces	5-6
Weather deck load	4-2
Web frames	9-3
in engine room	9-4
in superstructures and deckhouses	16-2
Welded joints	19-1
Wheel loads	7-4
Windows	21-2
Workmanship	1-7

Y

Young's modulus	3-5
-----------------------	-----