


1K

KS V 7805 JIS F 7805
SLIP-ON FLANGES

FLANGE FOR EXH. GAS PIPE (F-TYPE)



N/D	PIPE	FLANGE			BOLT HOLE			BOLT (M)	W' T (KG)
	O/D(d)	D	I/D(do)	T	C	N	H		
25	34.0	95	34.5	10	75	4	12	M10	0.45
(32)	42.7	115	43.2	12	90	4	15	M12	0.73
40	48.6	120	49.1	12	95	4	15	M12	0.83
50	60.5	130	61.1	14	105	4	15	M12	1.06
65	76.3	155	77.1	14	130	4	15	M12	1.48
80	89.1	180	90.0	14	145	4	19	M16	1.97
100	114.3	200	115.4	16	165	8	19	M16	2.35
125	139.8	235	141.2	16	200	8	19	M16	3.20
150	165.2	265	166.6	16	230	8	19	M16	3.90
200	216.3	320	218.0	16	280	8	23	M20	5.00
250	267.4	385	269.5	16	345	12	23	M20	6.83
300	318.5	430	321.0	16	390	12	23	M20	7.45
350	355.6	480	358.1	16	435	12	25	M22	9.45
400	406.4	540	409.0	16	495	16	25	M22	11.43
450	457.2	605	460.0	16	555	16	25	M22	14.40
500	508.0	655	511.0	16	605	16	25	M22	15.73
(550)	555.8	660	562.0	16	620	16	23	M20	12.00
600	609.6	710	613.0	16	670	16	23	M20	12.12
(650)	660.4	760	664.0	16	720	16	23	M20	12.15
700	711.2	815	715.0	16	775	16	23	M20	14.26
750	762.0	865	766.0	16	825	20	23	M20	14.88
800	812.8	915	817.0	16	875	20	23	M20	15.70
(850)	863.6	965	868.0	16	925	20	23	M20	16.50
900	914.4	1025	919.0	18	980	20	25	M22	21.48
(950)	962.0	1075	967.0	18	1030	20	25	M22	21.97
1000	1016.0	1125	1021.0	18	1080	20	25	M22	23.38
1050	1062.0	1175	1067.0	18	1130	24	25	M22	25.21
1100	1117.6	1225	1122.0	18	1180	24	25	M22	25.16
1150	1162.0	1275	1167.0	18	1230	24	25	M22	26.64
1200	1219.0	1325	1224.0	18	1280	24	25	M22	27.60
1250	1262.0	1375	1267.0	18	1330	28	25	M22	29.72
1300	1312.0	1425	1317.0	18	1380	28	25	M22	30.92
1350	1371.6	1475	1376.0	18	1430	28	25	M22	32.38
1400	1412.0	1525	1417.0	20	1480	28	25	M22	37.02
1450	1462.0	1595	1467.0	20	1540	28	27	M24	45.81
1500	1524.0	1645	1529.0	20	1590	28	27	M24	46.88
1600	1612.0	1745	1617.0	20	1690	28	27	M24	50.54
1700	1712.0	1845	1717.0	20	1790	28	27	M24	53.70
1800	1812.0	1950	1817.0	20	1895	32	27	M24	58.90
1900	1912.0	2050	1917.0	20	1995	32	27	M24	62.18
2000	2012.0	2150	2017.0	20	2095	36	27	M24	65.10
2100	2116.0	2250	2121.0	24	2195	36	27	M24	79.55
2200	2216.0	2350	2221.0	24	2295	40	27	M24	82.94
2300	2316.0	2450	2321.0	24	2395	40	27	M24	86.75
2400	2416.0	2550	2421.0	24	2495	40	27	M24	89.71
2500	2516.0	2650	2521.0	24	2595	48	27	M24	93.52
2600	2616.0	2750	2621.0	24	2695	48	27	M24	97.34